









| OVERVIEW |

The Flamefast Gas Detector is a cost-effective gas sensing solution designed to interface with the Flamefast range of Gas Safety Systems using the BACnet MS/TP interface.

The bold traffic light LCD and built in audible alarm provide a clear indication of any issues local to the sensor.

Although the sensors can be connected to third party BACnet networks, for safety systems it is strongly recommended that the sensors are used in conjunction with a Flamefast BoilerGuard or GasMonitor.

The broadband Pellistor and Infra-red Hydro-carbon sensors can be calibrated to suit most combustible gases, with the option to factory calibrate and rename the sensor for the specific gas. Flamefast can also offer a full range of toxic gas sensors, including H2S, HCN and many more (please contact for details).

| KEY FEATURES |

- 24V AC/DC Power Supply
- Pre-calibrated
- Traffic light LCD readout
- BACnet MS/TP over RS485
- Simple configuration and calibration
- · Calibration and 'End of Life' reminders
- Oxygen Sensors monitor Enrichment and Depletion as standard
- Mounts onto any standard single gang junction box or conduit box
- UK MANUFACTURED

FLAMEFAST GAS DETECTOR (FGD)BACNET (24V AC/DC)

Dimensions

Height 125mm Width 86mm Depth 36mm

Technical Specification

Power Supply 24V AC/DC \pm 10%

Power Consumption 60mA

BACnet MS/TP over RS485

Baud: 9k6, 19k2, 38k4 or 76k8 127 Address (1/10th Load)

Full specification available on request

Audible 60dB @ 30cm

Operating Conditions Temp 5-40°C

Humidity 0-95% (NC)

Sampling Method Diffusion

Warm-up Time 60 Seconds (24 Hours for full stability)

Response Time (T90) < 60 Seconds (Adjustable)

IP Rating IP40 Housing Material PC/ABS

Colour Pure White (RAL9010)

Approval CE, UKCA

Installer Selectable Options

Audible Alarm Enable/Disable
Auto Zero Calibration Enable/Disable

Part Numbers & Options/Accessories

| Part No | Gas | Range | Typ. Life (years) |
|----------|---------------------------------|----------|-------------------|
| FGD-NG | Natural Gas (Methane) | 100% LEL | 5 |
| FGD-LPG | Propane | 100% LEL | 5 |
| FGD-H2 | Hydrogen (LEL) | 100% LEL | 5 |
| FGD-HC | Hydro-carbon (Pellistor) | 100% LEL | 5 |
| FGD-IRHC | Hydro-carbon (Infra-red) | 100% LEL | 5 |
| FGD-SF6 | Sulfur Hexafluoride | 1,000ppm | 5 |
| FGD-CO2 | Carbon Dioxide | 5% | 5 |
| FGD-CO | Carbon Monoxide (Plant/Carpark) | 200ppm | 5 |
| FGD-NO2 | Nitrogen Dioxide | 5ppm | 3 |
| FGD-NH3 | Ammonia | 100ppm | 3 |
| FGD-CL2 | Chlorine | 5ppm | 3 |
| FGD-H2e | Hydrogen (Electrochemical) | 1,000ppm | 3 |
| FGD-SO2 | Sulphur Dioxide | 5ppm | 3 |
| FGD-O2 | Oxygen | 25% | 5 |

OTHER GASES AVAILABLE ON REQUEST

